

USER MANUAL

OCTAVIUS





CONGRATULATIONS

on your purchase of Octavius, T-Rex's take on the classic octave divider effect.

A tri-tone generator, Octavius works by splitting the signal from your guitar in 3 parts – and then transposing one part an octave down, transposing one part an octave up, and leaving the third part where it was.

By mixing the 3 signals in different ways, you can create a wide range of rich, thick multi-layered effects.

Turn the page to get started.

OCTAVIUS CONTROLS

Your Octavius tri-tone generator has 4 controls: LO OCT, HIGH OCT, MASTER MIX and BOOST.

The LO OCT knob lets you set the volume of the lower octave signal produced by the pedal.

The HIGH OCT knob controls the volume of the higher octave signal produced by the pedal.

The balance between the levels of these 2 knobs is what creates your particular octave-divided sound. Experiment with your mix, and you'll be amazed at the variety of effects you'll get.

The MASTER MIX knob lets you set the overall volume of your low and high octaves compared to your direct signal.

Use the BOOST knob to control the output of your octave-divided sound. The boost function lets you dial in a solo level, whether the over-drive circuit is activated or not.

| TECHNICAL SPECIFICATIONS | |
|--------------------------------------|---|
| Input Impedance@1KHz | Higher than 1M ohm |
| Output Impedance@1KHZ | Lower than 1K ohm |
| Power supply | 12V DC, 1250 mA external power supply. Runs on 100/115/230V AC/50-60Hz, dependent on country. |
| Minimum Power supply Voltage | 8,5V DC |
| Maximum Power supply Voltage | 12,5V DC |
| Current Draw @ 9V DC | 150 mA |
| Maximum Input signal Vp/p | 2,7 Vp/p |
| External connectors | Input Jack, Output Jack, 9-12V DC Jack |
| Controls | LO OCT, HIGH OCT, MASTER MIX, BOOST |
| Pedal size incl. knobs (W x H x D) | 100 x 55 x 120 mm 3,9 x 2,2 x 4,7 inch |
| Weight (excl. battery and packaging) | 0,350 kg / 12,3 oz |

T-REX WARRANTY CONDITIONS

T-Rex offers a 2-year warranty on all our products. In the unlikely event of a malfunction, please contact our technical support at service@t-rex-effects.com before sending us the product for repair. When the product has been sent to us at sender's cost, we will repair or replace your product and send it back to you - free of charge and usually within 4 weeks (shipping not included). The product needs to be accompanied by a copy of your receipt, serial number, return address, phone number, e-mail address and a brief explanation of the problem. Please note that we cannot replace a product until we have received it here in Denmark.

The warranty is lost if the product has been damaged by alteration, misuse, accident, or neglect; or if the product has been repaired or serviced by persons not authorized by T-Rex. Read more about warranty conditions at www.t-rex-effects.com/service

ABOUT T-REX

Based in Vejle, Denmark, T-Rex Engineering makes classic and signature effects pedals for the world's best musicians. Our approach blends hi-tech innovation with old-world craftsmanship – always in the service of killer tone.

EU REGULATIONS • ENVIRONMENT PROTECTION

T-Rex accepts and follows the regulations and directives issued by the EU. We find these environment protecting regulations very good, and we are happy to follow them.



ISSUED IN VEJLE, 2010



Lars Dahl-Jørgensen
Founder



Sebastian Jensen
Founder



T-Rex Engineering ApS
www.t-rex-effects.com