

USER MANUAL

TWIN BOOST





CONGRATULATIONS

on your purchase of Twin Boost, a new dual-channel boost pedal from T-Rex Engineering.

Twin Boost takes the traditional boost pedal to a whole new level – offering two separate stages of boost, each with a full set of tone controls. Twin Boost makes it easier than ever for you to get the exact sound you need on stage – instantly. Turn the page to see how it works.

BOOST DONE RIGHT

Twin Boost is logical and simple to set up and use on stage.

The pedal features two identical channels of boost – each with its own ON-OFF switch.

Hit the left switch and you'll turn on the left channel. Step on the right switch and you'll toggle from the left to the right channel. Whichever channel you're on, hit the switch again to turn the pedal off.

Both channels of your Twin Boost feature a LEVEL, BASS, MIDDLE and TREBLE knob.

LEVEL controls the amount of boost for the channel. The BASS, MIDDLE, and TREBLE knobs let you shape the tone of your boost for each channel. Try turning up the MIDDLE on channel one for singlenote rhythm lines, and boosting the BASS and TREBLE on channel two for a great solo sound.

TECHNICAL SPECS	
Input Impedance@1KHz	Higher than 1M Ohm
Output Impedance@1KHZ	Lower than 1K Ohm
Power supply	9V DC (T-Rex FuelTank)
Minimum Power supply Voltage	8V DC
Maximum Power supply Voltage	12,5V DC
Current Draw @ 9V DC	33 mA
Maximum Input signal Vp/p	2,5Vp/p
Battery Type	9 V battery 6F22
Battery Life	3 to 5 Hour
External connectors	Input Jack. Output Jack, 9V DC Jack
Controls	On/Off, Level, Treble, Middle, Bass
Pedal size incl. knobs (W x H x D)	100 x 55 x 120 mm 3,9 x 2,2 x 4,7 inch
Weight excl. battery and packaging	0,335 kg / 11,8 oz

T-REX WARRANTY CONDITIONS

T-Rex offers a 2-year warranty on all our products. In the unlikely event of a malfunction, please contact our technical support at info@t-rex-effects.com before sending us the product for repair. When the product has been sent to us at sender's cost, we will repair or replace your product and send it back to you - free of charge and usually within 3 weeks (shipping not included). The product needs to be accompanied by a copy of your receipt, serial number, return address, phone number, e-mail address and a brief explanation of the problem. Please note that we cannot replace a product until we have received it here in Denmark.

The warranty is lost if the product has been damaged by alteration, misuse, accident, or neglect; or if the product has been repaired or serviced by persons not authorized by T-Rex. Read more about warranty conditions at www.t-rex-effects.com.

ABOUT T-REX

Based in Vejle, Denmark, T-Rex Engineering makes classic and signature effects pedals for the world's best musicians. Our approach blends hi-tech innovation with old-world craftsmanship – always in the service of killer tone.

EU REGULATIONS • ENVIRONMENT PROTECTION

T-Rex accepts and follows the regulations and directives issued by the EU. We find these environment protecting regulations very good, and we are happy to follow them.



ISSUED IN VEJLE, 2008



Lars Dahl-Jørgensen
Development Director



Sebastian Jensen
Production Director



T-Rex Engineering ApS
www.t-rex-effects.com